

9	63	55.7	42.94	11.5	43	32	13.5	25	0.4	S45C									S45C
10	70	61.65	49.74	14.5	49	32	16.5	30	0.49	-	16.5	0.27		35	50	18	20	0.9	-
11	76	67.62	55.02	14.5	51	32	16.5	32	0.6	-	16.5	0.3		44	50	18	25	1	-
12	83	73.6	61.69	14.5	51	32	16.5	32	0.69	-	16.5	0.38		50	50	18	30	1.2	-
13	89	79.6	67.11	14.5	57	32	16.5	35	0.81	-	16.5	0.45		60	50	20	38	1.4	-
14	95	85.61	73.7	16	62	32	18	40	0.96	-	18	0.5		66	56	20	45	1.8	-
15	101	91.62	79.21	16	68	32	18	45	1.1	-	18	0.6		72	56	20	48	2.1	-
16	107	97.65	85.74	16	73	32	18	48	1.3	-	18	0.65		78	56	20	51	2.5	-
17	113	103.67	91.32	16	73	32	18	48	1.4	-	18	0.75		82	56	20	55	2.6	-
18	119	109.71	97.8	16	83	40	18	55	2	-	18	0.84		90	56	20	60	3.2	-
19	126	115.74	103.43	16	83	40	18	55	2.1	-	18	0.93		94	56	20	63	3.7	-
20	132	121.78	109.87	16	83	40	18	55	2.2	-	18	1.05		100	56	25	66	4.2	-
21	138	127.82	115.55	16	83	40	18	55	2.3	-	18	1.15		100	56	25	66	4.4	-
22	144	133.86	121.95	16	83	40	18	55	2.5	SS41BW	18	1.25		100	56	25	66	4.9	-
23	150	139.9	127.67	16	83	40	18	55	2.5	TYPE	18	1.4		100	56	25	66	4.7	-
24	156	145.95	134.04	16	83	40	18	55	2.6	(WELD	18	1.5		120	56	25	80	6	-
25	162	151.99	139.79	16	83	40	18	55	2.7	ING	18	1.62		120	56	25	80	6.4	-
26	168	158.04	146.13	16	83	40	18	55	2.9	WAY)	18	1.78		120	56	25	80	6.8	-
27	174	164.09	151.9	20	83	40	22	55	3		22	1.9		120	56	25	80	7.3	-
28	180	170.14	158.23	20	83	40	22	55	3.1		22	2.05		120	56	25	80	7.8	-
29	187	176.2	164.03	20	83	40	22	55	3.3		22	2.2		120	56	30	80	8.2	-
30	193	182.25	170.34	26	83	40	22	55	3.4		22	2.35		130	56	30	89	9	-
31	199	188.3	176.15	26	83	40	22	55	3.64		22	2.5		130	56	30	89	9.3	-
32	205	194.35	182.44	26	83	40	22	55	3.8		22	2.68	SS41	127	56	30	89	9.5	-
33	211	200.41	188.27	26	83	40	22	55	4		22	2.85		127	56	30	89	9.7	S35C
34	217	206.46	194.55	26	83	40	22	55	4.15		22	3.02		127	56	30	89	10.5	-
35	223	212.52	200.39	26	83	40	22	55	4.33		22	3.2		127	56	30	89	11	-
36	229	218.57	206.66	26	83	40	22	55	4.52		22	3.4		98	56	30	66	8.5	-
37	235	224.63	212.52	26	83	40	22	55	4.7		22	3.6							-
38	241	230.69	218.78	26	83	40	22	55	4.9		22	3.8		98	56	30	66	9	-
39	247	236.74	224.64	26	83	40	22	55	5.1		22	4							-
40	253	242.8	230.89	26	83	40	22	55	5.3		22	4.2		98	56	30	66	9.7	-
42	266	254.92	243.01	26	93	45	22	63	6.4		22	4.63		107	56	30	75	11	-
43	272	260.98	248.89	26	93	45	22	63	6.6		22	4.85						45	-
44	278	267.03	255.12	26	93	45	22	63	6.88		22	5.1							-
45	284	273.09	261.02	26	93	45	22	63	7.1		22	5.3		107	71	30	75	12.8	-
48	302	291.27	279.36	26	93	45	22	63	7.85		22	6.1		107	71	30	75	14	SS41
60	375	363.99	352.08	26	93	45	22	63	11.3		22	9.5		107	71	30	75	21.5	(WELD