

10	93	82.19	66.31	16.5	52	40	18.5	32	1.02		18.5	0.6		58	63	23	35	2	
11	102	90.15	73.36	16.5	60	40	18.5	38	1.25		18.5	0.73		60	63	23	38	2.5	
12	110	98.14	82.26	16	67	40	18	45	1.6		18	0.85		69	63	25	46	2.7	
13	118	106.14	89.48	16	77	40	18	51	1.9		18	1		80	63	25	55	3.4	
14	127	114.15	98.27	16	77	40	18	51	2.15		18	1.16		88	63	25	60	3.9	S45C
15	135	122.17	105.62	20	93	40	22	63	2.3		22	1.3		95	63	25	63	4.4	
16	143	130.2	114.32	20	93	40	22	63	2.5	S45C	22	1.5		100	71	25	66	5.4	
17	151	138.23	121.76	20	93	40	22	63	2.95		22	1.7		100	71	25	66	6	
18	159	146.27	130.39	20	93	40	22	63	3.15		22	1.9		120	71	25	80	7.5	
19	167	154.32	137.91	20	93	40	22	63	3.4		22	2.1		120	71	25	80	8	
20	176	162.37	146.49	20	93	40	22	63	3.6		22	2.35		130	71	25	89	9	
21	184	170.42	154.06	20	93	40	22	63	3.85		22	2.57		130	71	35	89	9.5	
22	192	178.48	162.6	26	107	45	28	75	5		28	2.82		117	71	35	80	8.8	
23	200	186.54	170.22	26	107	45	28	75	5.23		28	3.1		117	71	35	80	9.3	
24	208	194.6	178.72	26	107	45	28	75	5.5		28	3.35		117	80	35	80	10.5	
25	216	202.66	186.38	26	107	45	28	75	5.8		28	3.65		117	80	35	80	11.1	
26	224	210.72	194.84	26	107	45	28	75	6.1		28	3.95		117	80	35	80	11.7	
27	233	218.79	202.54	26	107	45	28	75	6.4		28	4.25							
28	241	226.86	210.98	26	107	45	28	75	6.75		28	4.6		117	80	35	80	13.5	
29	249	234.93	218.7	26	107	45	28	75	7.1		28	4.93							
30	257	243	227.12	26	107	45	28	75	7.4		28	5.3		117	80	35	80	14.2	
31	265	251.07	234.86	26	107	45	28	75	7.8		28	5.63							
32	273	259.14	243.26	26	107	45	28	75	8.15		28	6		117	80	35	80	16.5	
33	281	267.21	251.03	26	107	45	28	75	8.5		28	6.4	SS41						
34	289	275.29	259.41	26	107	45	28	75	8.9	SS41BW	28	6.8							S35C
35	297	283.36	267.19	26	107	45	28	75	9.3	TYPE	28	7.2		117	80	35	80	17.9	
36	306	291.43	275.55	26	117	50	28	80	10.6	(WELD	28	7.6		117	80	35	80	19	
37	314	299.51	283.36	26	117	50	28	80	11	ING	28	8							
38	322	307.58	291.7	26	117	50	28	80	11.4	WAY)	28	8.5		127	80	40	89	21	
39	330	315.66	299.52	26	117	50	28	80	11.9		28	8.9							
40	338	323.74	307.86	26	117	50	28	80	12.4		28	9.4		127	90	40	89	23.7	
41	346	331.81	315.69	26	117	50	28	80	12.8		28	9.9							
42	354	339.89	324.01	26	117	50	28	80	13.3		28	10.3		127	90	40	89	26	
43	362	347.97	331.86	26	117	50	28	80	13.8		28	10.8							
44	370	356.04	340.16	26	117	50	28	80	14.3		28	11.4							
45	378	364.12	348.02	26	117	50	28	80	14.9		28	11.9		127	90	40	89	28.4	
48	403	388.36	372.48	26	117	50	28	80	15.8		28	13.5		127	90	40	89	32	SS41
49	411	396.44	380.56	26							28	14.08							(WELD
54	451	436.84	420.96	26	117	50	28	80	20		28	17.1		127	90	40	89	38.5	ING
60	500	485.33	469.45	26	117	50	28	80	23.1		28	21.1		127	90	40	89	46.2	WAY)
64	532	517.65	501.77	26							28	24.05							
65	540	525.73	509.7	26	127	63	28	89	24.8		28	24.8		127	90	40	89	52	
66	548	538.82	517.94	26							28	25.58							
70	581	566.15	550.27	26	127	63	28	89	32.1		28	28.8		127	90	40	89	65	
75	621	606.56	590.54	26	127	63	28	89	36.2		28	33.1							

80	662	646.31	631.09	26	137	71	28	95	42.9		28	37.6							
84	694	679.31	663.43	26							28	41.5							
90	743	727.8	711.92	26							28	47.6							-

www.motnbearing.com